

# Model SP-005POEWM1 Waterproof Gigabit PoE Surge Protector Product Datasheet






**SP-005POEWM1** is a Waterproof Gigabit PoE Surge Protector. It protects PoE cameras, PoE switches, servers, modem, network terminals and other network communication equipment in surveillance systems.

## **Features**

- ◆ Compatible for 10/100/1000Mbps PoE and network
- ◆ Support 1, 2, 3, 6 or 4, 5, 7, 8 power line protection at the same time
- ◆ Reasonable circuit design, very low insertion loss
- ◆ Special signal isolation technology, reduce surge strike for network devices

# **Dimension**



Note: Dimension error value ±1 mm

sales@ourten.com 1 www.ourten.com



# **Housing Parameter**

Category	Description	
Protection Class	IP67	
Housing Material	Aluminum Alloy	
Flame Retardant Class	V-1	
Interface Material	PC	
Dimensions (L × W × H)	113×75×43.5mm	
Sealing Element	Silicone Ring	

# **Technical Parameter**

Category	Description	
Protected Signal	Network	Power
Working Voltage Un (V)	6/12	48
Limiting Voltage Up (V)	≤20	≤60
Voltage protection level Up(V)	60	400
Response Time (ns)	≤ 1	≤ 25
Transmission Rate (bit/s)	1000M	
Normal Discharge Current In (kA)	5	
Maximum Discharge Current Imax (kA)	10	
Insert Loss (dB)	≤0.2	
Terminal Type	RJ45	
Net Weight (g)	287	
Working Temperature	-40℃ ~ +80℃	
Working Humidity	<95% Non-condensation	




# **Installation Diagram**



### **Installation Instructions**

Please first loosen the waterproof connector, then insert the Ethernet cable through the waterproof connector and attach the RJ45 connector to the corresponding port on the product. Ensure the water blocking plug is properly installed and securely tightened!





**Shaoxing Ourten Electronics Co., Ltd.** 

#1 Liando U Valley, No. 1999 Wuxing West Road, Shangyu, Zhejiang, China

Tel: +86-21-5888 9980 (+86-575-8213 7256); Fax: +86-575-8212 7256

Email: sales@ourten.com

www.ourten.com

Thank you for choosing Ourten!